

LIST OF PG'S SYNOPSIS SINCE 2010 TO TILL DATE APPROVED BY THE ASRB LUMHS, JAMSHORO.
FACULTY OF MEDICINE & ALLIED SCIENCES & FACULTY OF COMMUNITY MEDICINE & PUBLIC HEALTH

| SR. NO. | NAME OF COURSE | RESEARCH TOPIC |
|---------|-----------------------|--|
| 1 | MD (General Medicine) | Frequency of pre-diabetes at Liaquat University Hospital, Hyderabad/Jamshoro |
| 2 | M.D (Cardiology) | Relevance of high sensitivity C-Reactive Protein (hs CRP) level and short term out come in the Patients with Acute coronary syndrome |
| 3 | M.D (Cardiology) | Relevance of high sensitivity C-Reactive Protein (hs CRP) level and short term out come in the Patients with Acute coronary syndrome |
| 4 | M.D (Paediatrics) | One year out of babies with birth Asphyxia |
| 5 | MPH | Functioning and Formation of Health Committees Formed by LHW in Shah Bhattai Hospital, Latifabad, Hyderabad |
| 6 | MPH | Nutritional Assessment by Anthropometric Methods in Adults Vegetarian Hindus in UC Mithi District Tharparkar. |
| 7 | MPH | Epidemiology of Burns Cases admitted at LUH, Hyderabad. |
| 8 | MPH | Prevalence of Hepatitis B and Hepatitis C in Adult Patients of Orthopaedic and Traumatology Ward at LUH, Jamshoro |
| 9 | MPH | Proportion of the Laboratory Diagnosed Malaria Cases amongst the Patients Suffering from Fever in District Hyderabad as Reported at Malaria Control Department Hyderabad |
| 10 | MPH | Prevalence of Anemia & its Determinations in regnant Women Residing in Urban Slums of Taluka Qasimabad. |
| 11 | MPH | Pattern of (IMNCI) Related Childhood Diseases and Associated Factors Among Patient Visiting Pediatrics OPD of Taluka Hospital Tando-Bago. |
| 12 | MPH | Frequency of Socio-Demographic Features of Leishmaniasis Patients Attending A Tertiary Care Hospital. |
| 13 | MPH | Cure Rate of Tuberculosis Patients Treated for Nine Months Under Dots Strategy. Attending OPD of a Tuberculosis Sanitarium. |
| 14 | MPH | Indicator of Accessibility to Primary Health Care Coverage in Suburban Areas of Qasimabad. |

| | | |
|----|------------------------|---|
| 15 | MPH | Frequency of Preterm Delivery and its Fetal Outcome Among Cases Reporting at Obstetric Ward Taluka Hospital Hala. |
| 16 | MPH | Contraceptive Prevalence Rate in Married Males at Rural Taluka, Mithi. |
| 17 | MPH | To Access the Knowledge about the Breast Feeding Practices and Relationship to the Health of Infant and Mother of General Practitioners in Larkana City. |
| 18 | MPH | Frequency of Neonatal Sepsis and its Outcome in Neonatal Intensive Care Unit (NICU), LUH, Hyderabad. |
| 19 | MPH | To Assess the Effectiveness of Lady Health Workers Program on Antenatal Care Seeking of Women in District Matiari |
| 20 | M.D (Psychiatry) | “Pattern of psychiatric disorders in suicide attempters” “A CROSS SECTIONAL STUDY ON SUICIDE ATTEMPTERS AT LIAQUAT UNIVERSITY HOSPITAL AND SIR COWASJEE JEHANGIR INSTITUTE OF PSYCHIATRY HYDERABAD”. |
| 21 | M.D (General Medicine) | Changes in Blood CP in Chronic Hepatitis-C Patient Receiving Standard Interferon Therapy |
| 22 | M.D (General Medicine) | Coagulopathies in Patients with Cirrhosis of Liver. |
| 23 | M.D (General Medicine) | Evaluation of Diagnostic Accuracy of Apri Score for Prediction of Fibrosis in Hepatitis “C” patient |
| 24 | M.D (General Medicine) | Frequency of Dyslipidemia in Ischemic Stroke at Liaquat University Hospital Hyderabad/Jamshoro. |
| 25 | M.D (General Medicine) | Frequency of Low High Density Lipoprotein Levels in Patients with Ischemic Stroke |
| 26 | M.D (General Medicine) | Frequency and Severity of Thrombocytopenia in Patients with Liver Cirrhosis |
| 27 | M.D (Cardiology) | Myocardial Infarction in Young Patients |
| 28 | M.D (Cardiology) | Evaluation of the Factors Modifying the Pain to Needle Time for Thrombolytic Administration for Acute ST Segment Elevation Myocardial Infarction Patients at Liaquat University Hospital Hyderabad |
| 29 | M.D (Cardiology) | The Frequency of the Modifiable Risk Factors in Young versus Old |

| | | |
|----|------------------------|--|
| | | Patients of Acute ST Elevation Myocardial Infarction |
| 30 | M.D (Cardiology) | Prevalence of diastolic dysfunction in hypertension diagnosed with echocardiography at LUH |
| 31 | M.D (Paediatrics) | Comparative study of low osmolar oral rehydration solution (ORS) versus rehydration solution for malnourished children (Resomal) in management of acute diarrhea in protein calorie malnutrition |
| 32 | M.D (Paediatrics) | Role of probiotics (Saccharomyces Boulardii) for treating acute diarrhea in children aged 3 months to 5 years |
| 33 | M.D (Paediatrics) | Pattern of haematological disorder in children age 1-12 years |
| 34 | M.D (General Medicine) | Frequency of retinopathy in patients of chronic hepatitis C on treatment |
| 35 | M.D (General Medicine) | Frequency of deep vein thrombosis in hospitalized patients |
| 36 | M.D (General Medicine) | Sensitivity of anti HCV (Elisa) in comparison to HCV RNA (PCR) in the diagnosis of chronic hepatitis C A study of 100 cases at PMCH, Nawabshah |
| 37 | M.D (General Medicine) | Frequency of patients on statin therapy achieving ATP III goal at the time of first ischemic stroke |
| 38 | M.D (General Medicine) | Endoscopic evaluation of 200 cases of chronic dyspepsia * |
| 39 | M.D (General Medicine) | Frequency of pathogens in spontaneous bacterial peritonitis in cirrhotic patients with hepatitis "B" & "C" |
| 40 | MPH | Prevalence of multidrug resistant tuberculosis and the factors associated with it among the patients admitted in TB Sanatorium Kotri |
| 41 | MPH | The determine the frequency of scabies and its relationship with hygiene and other factors at skin OPD Liaquat University Hospital, Hyderabad |
| 42 | M.D (Psychiatry) | Psychiatric Morbidity among Premature Ejaculation Patients |
| 43 | M.D (General Medicine) | Frequency and Pattern of Vasculotoxic Effects in Patients with Snake Bite |
| 44 | M.D (General Medicine) | Frequency of Hepatic Steatosis in Hepatitis "C" Non responder Patients at LUH, Jamshoro |
| 45 | M.D (General Medicine) | Outcome Of Stroke Patients (Ischaemic And Haemorrhagic) In A Tertiary Care Hospital |
| 46 | M.D (General Medicine) | Frequency Of Hyperhomocysteinemia In Patients Of Ischemic Storke |

| | | |
|----|------------------------|--|
| 47 | M.D (General Medicine) | Frequency Of Cardiac Risk Factors In Ischemic Stroke At Liaquat University Hospital, Hyderabad/ Jamshoro |
| 48 | MPH | Frequency of children presenting with hypocalcaemic fits and its outcome in Pediatric Unit-I and II Liaquat University Hospital Hyderabad |
| 49 | M.D (General Medicine) | Frequency and outcome of dyslipidemia in diabetic foot patients with type-II diabetes mellitus |
| 50 | M.D (General Medicine) | Frequency of type 2 diabetes mellitus in patients with chronic HCV infection |
| 51 | M.D (Cardiology) | Echocardiographical evaluation of left ventricular systolic function in patients with new onset non ST-segment elevation myocardial infarction |
| 52 | M.D (Cardiology) | Frequency and short term survival of acute myocardial infarction patients with diabetes mellitus |
| 53 | M.D (Paediatrics) | Outcome of Dietary management of celiac disease in children aged 6 months-12 years over about 1 year follow up period |
| 54 | M.D (General Medicine) | Frequency, impact, outcome of thrombocytopenia and variation of red cell distribution width (RDW) in patients with acute vivax malaria |
| 55 | M.D (General Medicine) | Frequency and outcome of hyponatremia in patients with liver cirrhosis at Liaquat University Hospital, Hyderabad |
| 56 | M.D (General Medicine) | Frequency and outcome of hypoglycemia in patients with liver cirrhosis at Liaquat University Hospital, Hyderabad |
| 57 | M.D (Psychiatry) | Determination of socio-demographic factors and variety of substances used by substance induced psychotic patients in a tertiary care psychiatric hospital Hyderabad |
| 58 | MPH | Vitamin A supplementations relation with acute respiratory tract infection (Pneumonias) children under 05 years age in outdoor patients at Sindh Government Hospital, Paretabad, Hyderabad |
| 59 | M.D (General Medicine) | Pattern of retinopathy among type-II Diabetics at Liaquat University Hospital, Hyderabad |
| 60 | M.D (General Medicine) | Influence of interferon therapy on lipid profile in patients with chronic HCV infection |

| | | |
|----|------------------------|---|
| 61 | M.D (General Medicine) | Dyslipidemia in stroke patient study of 100 patients in medical wards of LUMHS . |
| 62 | MPH | Frequency of obesity & Associated factors among household females in the area of un 1 Matli |
| 63 | M.D (Paediatrics) | efficacy of supplemented suckling techniques in re-establishment of breastfeeding in less than six month infant admitted NSC |
| 64 | M.D (General Medicine) | Factors in patients with chronic hepatitis-C refractory to conventional interferon therapy |
| 65 | M.D (Psychiatry) | Psychiatry disorder in never-married women divisible in to working and non-working class. |
| 66 | M.D (Psychiatry) | Diagnostic breakdown of first episode Psychosis |
| 67 | MPH | Occupational stress and its effects on Performance among female nurses at Liaquat University Hospital, Hyderabad. |
| 68 | MPH | Health and social issues among students residing in religious institution. |
| 69 | M.D (General Medicine) | Comparison of spot urinary protein creatinine ratio with 24 hours urinary proteinuria in diabetic patients. |
| 70 | M.D (paediatrics) | Role of yogurt as a dietary management in severe malnutralated children affected by diarrhea in age group six months to five years. |
| 71 | MPH | prevalence and risk factor of obesity among Secondary school girls of Hyderabad. |
| 72 | MD (Paeds) | Impact of Follow-up visits on the IMNCI strategy implementation in the health facilities of District Jamshoro. |
| 73 | MD (Paeds) | Frequency of check sings according to IMNCI strategy in paediatric OPD at Liaquat University Hospital Hyderabad/Jamshoro. |
| 74 | MD (Paeds) | Common complications of severe actue malnutrition in children admitted in NSC PU-I |
| 75 | MD (Paeds) | Efficacy of supplemented suckling technique in re-establishment of breastfeeding in less than six month infant admitted in nutrition stabilization centre |

| | | |
|----|-----------------|---|
| 76 | MD (G-Medicine) | Factors Associated with treatment outcomes in patients with pulmonary Tuberculosis |
| 77 | MD (Cardiology) | Analysis of the influence of microalbuminurea on the outcome of acute myocardial infarction in Diabetic patients |
| 78 | MD (Paeds) | Blood Culture and Drug Sensitivity in presumed seopsis of neonates |
| 79 | MD (Psychiatry) | Demographic Factors Associated with delusional content and hostility/violence among patients of schizophrrenia |
| 80 | MD (Cardiology) | Echocardiographic Correlation of Killip's classification in patients of acute myocardial infraction |
| 81 | MD (Cardiology) | Relevance of Microalbuminuria Level in Acute Mycardial Infarction in Non-diabetic Non-hypertensive patients and short term outcome |
| 82 | MPH | Survey conducted on the people visiting Shrine of Shah Abdul Latif Bhattai District Matairi regarding Their health problems |
| 83 | MPH | Prevalence of Obesity its association to life-styles among Muslim and Hindu Business Communities in Dera Murad Jamali |
| 84 | MPH | Impact of Insomnia on academic performance among undergraduates medical students of Chandka Medical College (Shaheed Mohtarma Benazir Bhutto Medical University Larkana) |
| 85 | MD (G-Medicine) | association of meld (model for endstage liver disease) score with spontaneous bacterial peritonitis in liver cirrhotic patients admitted in Liaquat university hospital. |
| 86 | MD (Paeds) | Nutritional status of mothers of malnourished children versus well nourished children |
| 87 | MD (G-Medicine) | Role of Portal vein diameter in the diagnosis of protal hypertension confirmed on serum-ascites albumin concentration gradient in patients of decompensated chronic liver disease |
| 88 | MD (G-Medicine) | Comparative Evaluation of Stroke in Diabetic and Non-Diabetic patients admitted at Tertiary Care Hospital |
| 89 | MD (G-Medicine) | Cutaneous Manifestation of combined interferon and ribavirin therapy in chronic hepatitis-C |
| 90 | MPH | Survey among children of age 8 to 16 years working as child labour in mechancial shops in hyderabad |

| | | |
|----|------------|---|
| 91 | MPH | workplace harassment among female nurses at luh, jamshoro/hyderabad |
| 92 | MD (Paeds) | Outcome of Cerebral Malaria in Patients Treated with Artesunate VS Quinine. |

